

Underlying instrument - FCPO

| Cont | Sett | Change | Open | High | Low | Volm | Open Int |
|--------|-------|--------|-------|-------|-------|--------|----------|
| JAN 25 | 4,668 | -147 | 4,789 | 4,809 | 4,613 | 479 | 1,322 |
| FEB 25 | 4,578 | -78 | 4,648 | 4,663 | 4,574 | 3,063 | 16,646 |
| MAR 25 | 4,437 | -63 | 4,496 | 4,510 | 4,433 | 33,511 | 62,994 |
| APR 25 | 4,337 | -55 | 4,385 | 4,395 | 4,332 | 21,800 | 49,576 |
| MAY 25 | 4,244 | -62 | 4,297 | 4,303 | 4,241 | 11,605 | 29,671 |
| JUN 25 | 4,179 | -68 | 4,241 | 4,241 | 4,176 | 3,237 | 15,303 |
| JUL 25 | 4,148 | -69 | 4,201 | 4,207 | 4,140 | 2,720 | 15,278 |
| AUG 25 | 4,131 | -73 | 4,178 | 4,189 | 4,129 | 1,343 | 7,215 |
| SEP 25 | 4,125 | -60 | 4,168 | 4,182 | 4,122 | 1,490 | 11,624 |
| OCT 25 | 4,124 | -57 | 4,167 | 4,179 | 4,130 | 258 | 3,682 |
| NOV 25 | 4,126 | -55 | 4,162 | 4,173 | 4,130 | 523 | 6,018 |
| DEC 25 | 4,124 | -55 | 4,175 | 4,178 | 4,139 | 44 | 947 |
| JAN 26 | 4,125 | -55 | 4,173 | 4,184 | 4,148 | 24 | 1,176 |
| MAR 26 | 4,126 | -55 | 4,157 | 4,157 | 4,157 | 2 | 396 |
| MAY 26 | 4,100 | -55 | | | | | 46 |
| JUL 26 | 4,095 | -55 | | | | | 3 |
| SEP 26 | 4,075 | -55 | | | | | |
| NOV 26 | 4,075 | -55 | | | | | |
| JAN 27 | 4,075 | -55 | | | | | |
| MAR 27 | 4,075 | -55 | | | | | |
| MAY 27 | 4,075 | -55 | | | | | |
| JUL 27 | 4,075 | -55 | | | | | |
| SEP 27 | 4,075 | -55 | | | | | |
| NOV 27 | 4,075 | -55 | | | | | |

CBOT Soybean oil futures

| Cont | Sett | Change | Open | High | Low | Volm | Open Int |
|--------|-------|--------|-------|-------|-------|--------|----------|
| MAR 25 | 46.22 | 0.26 | 45.90 | 46.55 | 45.50 | 80,695 | 248,856 |
| MAY 25 | 46.64 | 0.23 | 46.28 | 46.96 | 45.90 | 34,628 | 129,470 |
| JUL 25 | 46.82 | 0.25 | 46.44 | 47.11 | 46.09 | 27,307 | 100,527 |
| AUG 25 | 46.56 | 0.26 | 46.22 | 46.79 | 45.87 | 5,525 | 17,245 |
| SEP 25 | 46.26 | 0.24 | 45.95 | 46.46 | 45.63 | 4,938 | 11,056 |
| OCT 25 | 45.96 | 0.19 | 45.67 | 46.08 | 45.37 | 3,464 | 9,412 |
| DEC 25 | 45.98 | 0.17 | 45.68 | 46.11 | 45.39 | 6,885 | 41,238 |
| JAN 26 | 46.02 | 0.17 | 45.63 | 46.11 | 45.56 | 365 | 2,210 |
| MAR 26 | 46.08 | 0.17 | 45.69 | 46.06 | 45.67 | 329 | 1,797 |
| MAY 26 | 46.22 | 0.16 | | | | 8 | 957 |
| JUL 26 | 46.36 | 0.16 | | | | 51 | 768 |
| AUG 26 | 46.27 | 0.16 | | | | | 90 |
| SEP 26 | 46.10 | 0.16 | | | | | 78 |
| OCT 26 | 45.83 | 0.17 | | | | 9 | 21 |
| DEC 26 | 45.80 | 0.17 | | | | 58 | 75 |

Source : Bloomberg

| Calls | | | | | | | | | | Puts | | | | | | | | | |
|---|--------|--------|------|------|-----|------|------|-------|--|------------|--------|--------|--------|------|-----|------|------|------|--|
| Ticker | Strike | Last | 1D% | High | Low | Volm | OInt | OICl | | Ticker | Strike | Last | 1D% | High | Low | Volm | OInt | OICl | |
| Apr-25 (26d 2/10/25); CSize 25; KOJ5 4344.00 | | | | | | | | | | | | | | | | | | | |
| KOJ5C 3150 | 3150 | 1184 | 0.00 | - | - | - | - | - | | KOJ5P 3150 | 3150 | 0.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 3200 | 3200 | 1134.5 | 0.00 | - | - | - | - | - | | KOJ5P 3200 | 3200 | 0.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 3250 | 3250 | 1084.5 | 0.00 | - | - | - | - | - | | KOJ5P 3250 | 3250 | 0.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 3300 | 3300 | 1034.5 | 0.00 | - | - | - | - | - | | KOJ5P 3300 | 3300 | 0.5 | 0.00 | - | - | - | - | 600 | |
| KOJ5C 3350 | 3350 | 984.5 | 0.00 | - | - | - | - | - | | KOJ5P 3350 | 3350 | 0.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 3400 | 3400 | 935 | 0.00 | - | - | - | - | - | | KOJ5P 3400 | 3400 | 0.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 3450 | 3450 | 885 | 0.00 | - | - | - | - | - | | KOJ5P 3450 | 3450 | 0.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 3500 | 3500 | 835 | 0.00 | - | - | - | - | - | | KOJ5P 3500 | 3500 | 0.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 3550 | 3550 | 785.5 | 0.00 | - | - | - | - | - | | KOJ5P 3550 | 3550 | 0.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 3600 | 3600 | 736 | 0.00 | - | - | - | - | - | | KOJ5P 3600 | 3600 | 0.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 3650 | 3650 | 686.5 | 0.00 | - | - | - | - | - | | KOJ5P 3650 | 3650 | 1 | 0.00 | - | - | - | - | - | |
| KOJ5C 3700 | 3700 | 637.5 | 0.00 | - | - | - | - | - | | KOJ5P 3700 | 3700 | 1.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 3750 | 3750 | 588.5 | 0.00 | - | - | - | - | - | | KOJ5P 3750 | 3750 | 3 | 0.00 | - | - | - | - | - | |
| KOJ5C 3800 | 3800 | 540.5 | 0.00 | - | - | - | - | - | | KOJ5P 3800 | 3800 | 4.5 | 0.00 | - | - | - | - | 500 | |
| KOJ5C 3850 | 3850 | 493 | 0.00 | - | - | - | - | - | | KOJ5P 3850 | 3850 | 7 | 0.00 | - | - | - | - | - | |
| KOJ5C 3900 | 3900 | 446.5 | 0.00 | - | - | - | - | - | | KOJ5P 3900 | 3900 | 10.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 3950 | 3950 | 401.5 | 0.00 | - | - | - | - | - | | KOJ5P 3950 | 3950 | 15.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 4000 | 4000 | 358 | 0.00 | - | - | - | - | - | | KOJ5P 4000 | 4000 | 21.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 4050 | 4050 | 316.5 | 0.00 | - | - | - | - | - | | KOJ5P 4050 | 4050 | 30 | 0.00 | - | - | - | - | - | |
| KOJ5C 4100 | 4100 | 277 | 0.00 | - | - | - | - | - | | KOJ5P 4100 | 4100 | 40.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 4150 | 4150 | 240 | 0.00 | - | - | - | - | - | | KOJ5P 4150 | 4150 | 53.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 4200 | 4200 | 206 | 0.00 | - | - | - | - | 200.0 | | KOJ5P 4200 | 4200 | 69.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 4250 | 4250 | 175 | 0.00 | - | - | - | - | - | | KOJ5P 4250 | 4250 | 88.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 4300 | 4300 | 147 | 0.00 | - | - | - | - | - | | KOJ5P 4300 | 4300 | 110 | 0.00 | - | - | - | - | 300 | |
| KOJ5C 4350 | 4350 | 122 | 0.00 | - | - | - | - | - | | KOJ5P 4350 | 4350 | 135 | 0.00 | - | - | - | - | - | |
| KOJ5C 4400 | 4400 | 100 | 0.00 | - | - | - | - | - | | KOJ5P 4400 | 4400 | 163 | 0.00 | - | - | - | - | - | |
| KOJ5C 4450 | 4450 | 81.5 | 0.00 | - | - | - | - | - | | KOJ5P 4450 | 4450 | 194 | 0.00 | - | - | - | - | - | |
| KOJ5C 4500 | 4500 | 65 | 0.00 | - | - | - | - | 50.0 | | KOJ5P 4500 | 4500 | 228 | 0.00 | - | - | - | - | - | |
| KOJ5C 4550 | 4550 | 51.5 | 0.00 | - | - | - | - | - | | KOJ5P 4550 | 4550 | 264 | 0.00 | - | - | - | - | - | |
| KOJ5C 4600 | 4600 | 40.5 | 0.00 | - | - | - | - | 500.0 | | KOJ5P 4600 | 4600 | 303 | 0.00 | - | - | - | - | - | |
| KOJ5C 4650 | 4650 | 31 | 0.00 | - | - | - | - | - | | KOJ5P 4650 | 4650 | 343.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 4700 | 4700 | 24 | 0.00 | - | - | - | - | - | | KOJ5P 4700 | 4700 | 386 | 0.00 | - | - | - | - | - | |
| KOJ5C 4750 | 4750 | 18 | 0.00 | - | - | - | - | - | | KOJ5P 4750 | 4750 | 430 | 0.00 | - | - | - | - | - | |
| KOJ5C 4800 | 4800 | 13.5 | 0.00 | - | - | - | - | 800.0 | | KOJ5P 4800 | 4800 | 475.5 | 0.00 | - | - | - | - | 800 | |
| KOJ5C 4850 | 4850 | 10 | 0.00 | - | - | - | - | - | | KOJ5P 4850 | 4850 | 521.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 4900 | 4900 | 7 | 0.00 | - | - | - | - | - | | KOJ5P 4900 | 4900 | 569 | 0.00 | - | - | - | - | - | |
| KOJ5C 4950 | 4950 | 5 | 0.00 | - | - | - | - | - | | KOJ5P 4950 | 4950 | 616.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 5000 | 5000 | 3.5 | 0.00 | - | - | - | - | - | | KOJ5P 5000 | 5000 | 665 | 0.00 | - | - | - | - | - | |
| KOJ5C 5050 | 5050 | 2.5 | 0.00 | - | - | - | - | - | | KOJ5P 5050 | 5050 | 714 | 0.00 | - | - | - | - | - | |
| KOJ5C 5100 | 5100 | 2 | 0.00 | - | - | - | - | - | | KOJ5P 5100 | 5100 | 763 | 0.00 | - | - | - | - | - | |
| KOJ5C 5150 | 5150 | 1 | 0.00 | - | - | - | - | - | | KOJ5P 5150 | 5150 | 812.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 5200 | 5200 | 1 | 0.00 | - | - | - | - | - | | KOJ5P 5200 | 5200 | 862 | 0.00 | - | - | - | - | - | |
| KOJ5C 5250 | 5250 | 0.5 | 0.00 | - | - | - | - | - | | KOJ5P 5250 | 5250 | 911.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 5300 | 5300 | 0.5 | 0.00 | - | - | - | - | - | | KOJ5P 5300 | 5300 | 961 | 0.00 | - | - | - | - | - | |
| KOJ5C 5350 | 5350 | 0.5 | 0.00 | - | - | - | - | - | | KOJ5P 5350 | 5350 | 1011 | 0.00 | - | - | - | - | - | |
| KOJ5C 5400 | 5400 | 0.5 | 0.00 | - | - | - | - | - | | KOJ5P 5400 | 5400 | 1060.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 5450 | 5450 | 0.5 | 0.00 | - | - | - | - | - | | KOJ5P 5450 | 5450 | 1110.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 5500 | 5500 | 0.5 | 0.00 | - | - | - | - | - | | KOJ5P 5500 | 5500 | 1160.5 | 0.00 | - | - | - | - | - | |
| KOJ5C 5550 | 5550 | 0.5 | 0.00 | - | - | - | - | - | | KOJ5P 5550 | 5550 | 1210 | 0.00 | - | - | - | - | - | |
| KOJ5C 5600 | 5600 | 0.5 | 0.00 | - | - | - | - | - | | KOJ5P 5600 | 5600 | 1260 | 0.00 | - | - | - | - | - | |
| May-25 (54d 3/10/25); CSize 25; KOK5 4261.00 | | | | | | | | | | | | | | | | | | | |
| KOK5C 3050 | 3050 | 1188.5 | 0.00 | - | - | - | - | - | | KOK5P 3050 | 3050 | 0.5 | 0.00 | - | - | - | - | - | |
| KOK5C 3100 | 3100 | 1138.5 | 0.00 | - | - | - | - | - | | KOK5P 3100 | 3100 | 0.5 | 0.00 | - | - | - | - | - | |
| KOK5C 3150 | 3150 | 1089 | 0.00 | - | - | - | - | - | | KOK5P 3150 | 3150 | 0.5 | 0.00 | - | - | - | - | - | |
| KOK5C 3200 | 3200 | 1039.5 | 0.00 | - | - | - | - | - | | KOK5P 3200 | 3200 | 0.5 | 0.00 | - | - | - | - | - | |
| KOK5C 3250 | 3250 | 990 | 0.00 | - | - | - | - | - | | KOK5P 3250 | 3250 | 0.5 | 0.00 | - | - | - | - | - | |
| KOK5C 3300 | 3300 | 940.5 | 0.00 | - | - | - | - | - | | KOK5P 3300 | 3300 | 1 | 0.00 | - | - | - | - | - | |
| KOK5C 3350 | 3350 | 891.5 | 0.00 | - | - | - | - | - | | KOK5P 3350 | 3350 | 1.5 | 0.00 | - | - | - | - | - | |
| KOK5C 3400 | 3400 | 842.5 | 0.00 | - | - | - | - | - | | KOK5P 3400 | 3400 | 2.5 | 0.00 | - | - | - | - | - | |
| KOK5C 3450 | 3450 | 793.5 | 0.00 | - | - | - | - | - | | KOK5P 3450 | 3450 | 3.5 | 0.00 | - | - | - | - | - | |
| KOK5C 3500 | 3500 | 745.5 | 0.00 | - | - | - | - | - | | KOK5P 3500 | 3500 | 5 | 0.00 | - | - | - | - | - | |
| KOK5C 3550 | 3550 | 698 | 0.00 | - | - | - | - | - | | KOK5P 3550 | 3550 | 7 | 0.00</ | | | | | | |

| | | | | | | | | | | | | | | | | | | |
|---|------|--------|------|---|---|---|-------|---|------------|------|--------|------|---|---|---|---|---|-----|
| KOK5C 4650 | 4650 | 48 | 0.00 | - | - | - | - | - | KOK5P 4650 | 4650 | 452 | 0.00 | - | - | - | - | - | - |
| KOK5C 4700 | 4700 | 40 | 0.00 | - | - | - | - | - | KOK5P 4700 | 4700 | 494 | 0.00 | - | - | - | - | - | - |
| KOK5C 4750 | 4750 | 33 | 0.00 | - | - | - | - | - | KOK5P 4750 | 4750 | 536.5 | 0.00 | - | - | - | - | - | - |
| KOK5C 4800 | 4800 | 27 | 0.00 | - | - | - | - | - | KOK5P 4800 | 4800 | 580.5 | 0.00 | - | - | - | - | - | - |
| KOK5C 4850 | 4850 | 22 | 0.00 | - | - | - | - | - | KOK5P 4850 | 4850 | 625.5 | 0.00 | - | - | - | - | - | - |
| KOK5C 4900 | 4900 | 18 | 0.00 | - | - | - | - | - | KOK5P 4900 | 4900 | 671 | 0.00 | - | - | - | - | - | - |
| KOK5C 4950 | 4950 | 14.5 | 0.00 | - | - | - | - | - | KOK5P 4950 | 4950 | 717.5 | 0.00 | - | - | - | - | - | - |
| KOK5C 5000 | 5000 | 12 | 0.00 | - | - | - | - | - | KOK5P 5000 | 5000 | 764 | 0.00 | - | - | - | - | - | - |
| KOK5C 5050 | 5050 | 9.5 | 0.00 | - | - | - | - | - | KOK5P 5050 | 5050 | 811.5 | 0.00 | - | - | - | - | - | - |
| KOK5C 5100 | 5100 | 7.5 | 0.00 | - | - | - | - | - | KOK5P 5100 | 5100 | 859.5 | 0.00 | - | - | - | - | - | - |
| KOK5C 5150 | 5150 | 6 | 0.00 | - | - | - | - | - | KOK5P 5150 | 5150 | 907.5 | 0.00 | - | - | - | - | - | - |
| KOK5C 5200 | 5200 | 4.5 | 0.00 | - | - | - | - | - | KOK5P 5200 | 5200 | 956 | 0.00 | - | - | - | - | - | - |
| KOK5C 5250 | 5250 | 3.5 | 0.00 | - | - | - | - | - | KOK5P 5250 | 5250 | 1005 | 0.00 | - | - | - | - | - | - |
| KOK5C 5300 | 5300 | 3 | 0.00 | - | - | - | - | - | KOK5P 5300 | 5300 | 1054 | 0.00 | - | - | - | - | - | - |
| KOK5C 5350 | 5350 | 2.5 | 0.00 | - | - | - | - | - | KOK5P 5350 | 5350 | 1103 | 0.00 | - | - | - | - | - | - |
| KOK5C 5400 | 5400 | 2 | 0.00 | - | - | - | - | - | KOK5P 5400 | 5400 | 1152 | 0.00 | - | - | - | - | - | - |
| KOK5C 5450 | 5450 | 1.5 | 0.00 | - | - | - | - | - | KOK5P 5450 | 5450 | 1201.5 | 0.00 | - | - | - | - | - | - |
| KOK5C 5500 | 5500 | 1 | 0.00 | - | - | - | - | - | KOK5P 5500 | 5500 | 1251 | 0.00 | - | - | - | - | - | - |
| Jun-25 (85d 4/10/25); CSize 25; KOM5 4204.00 | | | | | | | | | | | | | | | | | | |
| KOM5C 3000 | 3000 | 1171 | 0.00 | - | - | - | - | - | KOM5P 3000 | 3000 | 0.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 3050 | 3050 | 1121.5 | 0.00 | - | - | - | - | - | KOM5P 3050 | 3050 | 1 | 0.00 | - | - | - | - | - | - |
| KOM5C 3100 | 3100 | 1072.5 | 0.00 | - | - | - | - | - | KOM5P 3100 | 3100 | 1.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 3150 | 3150 | 1023.5 | 0.00 | - | - | - | - | - | KOM5P 3150 | 3150 | 2.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 3200 | 3200 | 975 | 0.00 | - | - | - | - | - | KOM5P 3200 | 3200 | 3 | 0.00 | - | - | - | - | - | - |
| KOM5C 3250 | 3250 | 926.5 | 0.00 | - | - | - | - | - | KOM5P 3250 | 3250 | 4.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 3300 | 3300 | 878.5 | 0.00 | - | - | - | - | - | KOM5P 3300 | 3300 | 6 | 0.00 | - | - | - | - | - | - |
| KOM5C 3350 | 3350 | 831 | 0.00 | - | - | - | - | - | KOM5P 3350 | 3350 | 8.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 3400 | 3400 | 784.5 | 0.00 | - | - | - | - | - | KOM5P 3400 | 3400 | 11 | 0.00 | - | - | - | - | - | 150 |
| KOM5C 3450 | 3450 | 738 | 0.00 | - | - | - | - | - | KOM5P 3450 | 3450 | 14.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 3500 | 3500 | 692.5 | 0.00 | - | - | - | - | - | KOM5P 3500 | 3500 | 19 | 0.00 | - | - | - | - | - | - |
| KOM5C 3550 | 3550 | 648.5 | 0.00 | - | - | - | - | - | KOM5P 3550 | 3550 | 24 | 0.00 | - | - | - | - | - | - |
| KOM5C 3600 | 3600 | 605 | 0.00 | - | - | - | - | - | KOM5P 3600 | 3600 | 30 | 0.00 | - | - | - | - | - | 100 |
| KOM5C 3650 | 3650 | 562.5 | 0.00 | - | - | - | - | - | KOM5P 3650 | 3650 | 37.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 3700 | 3700 | 521.5 | 0.00 | - | - | - | - | - | KOM5P 3700 | 3700 | 46 | 0.00 | - | - | - | - | - | - |
| KOM5C 3750 | 3750 | 482 | 0.00 | - | - | - | - | - | KOM5P 3750 | 3750 | 56.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 3800 | 3800 | 444 | 0.00 | - | - | - | - | - | KOM5P 3800 | 3800 | 68 | 0.00 | - | - | - | - | - | - |
| KOM5C 3850 | 3850 | 407.5 | 0.00 | - | - | - | - | - | KOM5P 3850 | 3850 | 81 | 0.00 | - | - | - | - | - | - |
| KOM5C 3900 | 3900 | 373 | 0.00 | - | - | - | - | - | KOM5P 3900 | 3900 | 96 | 0.00 | - | - | - | - | - | - |
| KOM5C 3950 | 3950 | 340 | 0.00 | - | - | - | - | - | KOM5P 3950 | 3950 | 113 | 0.00 | - | - | - | - | - | - |
| KOM5C 4000 | 4000 | 309 | 0.00 | - | - | - | - | - | KOM5P 4000 | 4000 | 131.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 4050 | 4050 | 279.5 | 0.00 | - | - | - | - | - | KOM5P 4050 | 4050 | 151.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 4100 | 4100 | 252 | 0.00 | - | - | - | - | - | KOM5P 4100 | 4100 | 174 | 0.00 | - | - | - | - | - | - |
| KOM5C 4150 | 4150 | 226.5 | 0.00 | - | - | - | - | - | KOM5P 4150 | 4150 | 198 | 0.00 | - | - | - | - | - | - |
| KOM5C 4200 | 4200 | 203 | 0.00 | - | - | - | - | - | KOM5P 4200 | 4200 | 224 | 0.00 | - | - | - | - | - | - |
| KOM5C 4250 | 4250 | 181 | 0.00 | - | - | - | - | - | KOM5P 4250 | 4250 | 251.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 4300 | 4300 | 161 | 0.00 | - | - | - | - | - | KOM5P 4300 | 4300 | 281 | 0.00 | - | - | - | - | - | 300 |
| KOM5C 4350 | 4350 | 142.5 | 0.00 | - | - | - | - | - | KOM5P 4350 | 4350 | 312.5 | 0.00 | - | - | - | - | - | 450 |
| KOM5C 4400 | 4400 | 126 | 0.00 | - | - | - | - | - | KOM5P 4400 | 4400 | 345.5 | 0.00 | - | - | - | - | - | 100 |
| KOM5C 4450 | 4450 | 111 | 0.00 | - | - | - | - | - | KOM5P 4450 | 4450 | 380 | 0.00 | - | - | - | - | - | - |
| KOM5C 4500 | 4500 | 97 | 0.00 | - | - | - | 200.0 | - | KOM5P 4500 | 4500 | 415.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 4550 | 4550 | 85 | 0.00 | - | - | - | - | - | KOM5P 4550 | 4550 | 453 | 0.00 | - | - | - | - | - | - |
| KOM5C 4600 | 4600 | 74 | 0.00 | - | - | - | - | - | KOM5P 4600 | 4600 | 491.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 4650 | 4650 | 64 | 0.00 | - | - | - | - | - | KOM5P 4650 | 4650 | 531.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 4700 | 4700 | 55.5 | 0.00 | - | - | - | 200.0 | - | KOM5P 4700 | 4700 | 572.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 4750 | 4750 | 47.5 | 0.00 | - | - | - | - | - | KOM5P 4750 | 4750 | 614.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 4800 | 4800 | 41 | 0.00 | - | - | - | - | - | KOM5P 4800 | 4800 | 657.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 4850 | 4850 | 35 | 0.00 | - | - | - | - | - | KOM5P 4850 | 4850 | 701 | 0.00 | - | - | - | - | - | - |
| KOM5C 4900 | 4900 | 30 | 0.00 | - | - | - | - | - | KOM5P 4900 | 4900 | 745.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 4950 | 4950 | 25.5 | 0.00 | - | - | - | - | - | KOM5P 4950 | 4950 | 791 | 0.00 | - | - | - | - | - | - |
| KOM5C 5000 | 5000 | 21.5 | 0.00 | - | - | - | - | - | KOM5P 5000 | 5000 | 836.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 5050 | 5050 | 18.5 | 0.00 | - | - | - | - | - | KOM5P 5050 | 5050 | 883 | 0.00 | - | - | - | - | - | - |
| KOM5C 5100 | 5100 | 15.5 | 0.00 | - | - | - | - | - | KOM5P 5100 | 5100 | 929.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 5150 | 5150 | 13 | 0.00 | - | - | - | - | - | KOM5P 5150 | 5150 | 977 | 0.00 | - | - | - | - | - | - |
| KOM5C 5200 | 5200 | 11 | 0.00 | - | - | - | - | - | KOM5P 5200 | 5200 | 1024.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 5250 | 5250 | 9 | 0.00 | - | - | - | - | - | KOM5P 5250 | 5250 | 1072 | 0.00 | - | - | - | - | - | - |
| KOM5C 5300 | 5300 | 7.5 | 0.00 | - | - | - | - | - | KOM5P 5300 | 5300 | 1120.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 5350 | 5350 | 6.5 | 0.00 | - | - | - | - | - | KOM5P 5350 | 5350 | 1168.5 | 0.00 | - | - | - | - | - | - |
| KOM5C 5400 | 5400 | 5 | 0.00 | - | - | - | - | - | KOM5P 5400 | 5400 | 1217 | 0.00 | - | - | - | - | - | - |
| KOM5C 5450 | 5450 | 4.5 | 0.00 | - | - | - | - | - | KOM5P 5450 | 5450 | 1266 | 0.00 | - | - | - | - | - | - |
| Jul-25 (114d 5/9/25); CSize 25; KON5 4170.00 | | | | | | | | | | | | | | | | | | |
| KON5C 2950 | 2950 | 1188 | 0.00 | - | - | - | - | - | KON5P 2950 | 2950 | 2 | 0.00 | - | - | - | - | - | - |
| KON5C 3000 | 3000 | 1139 | 0.00 | - | - | - | - | - | KON5P 3000 | 3000 | 2.5 | 0.00 | - | - | - | - | - | - |
| KON5C 3050 | 3050 | 1090.5 | 0.00 | - | - | - | - | - | KON5P 3050 | 3050 | 3.5 | 0.00 | - | - | - | - | - | - |
| KON5C 3100 | 3100 | 1042.5 | 0.00 | - | - | - | - | - | KON5P 3100 | 3100 | 4.5 | 0.00 | - | - | - | - | - | - |
| KON5C 3150 | 3150 | 994.5 | 0.00 | - | - | - | - | - | KON5P 3150 | 3150 | 6 | 0.00 | - | - | - | - | - | - |
| KON5C 3200 | 3200 | 947 | 0.00 | - | - | - | - | - | KON5P 3200 | 3200 | 8 | 0.00 | - | - | - | - | - | - |
| KON5C 3250 | 3250 | 900 | 0.00 | - | - | - | - | - | KON5P 3250 | 3250 | 10.5 | 0.00 | - | - | - | - | - | - |
| KON5C 3300 | 3300 | 853.5 | 0.00 | - | - | - | - | - | KON5P 3300 | 3300 | 14 | 0.00 | - | - | - | - | - | - |
| KON5C 3350 | 3350 | 808 | 0.00 | - | - | - | - | - | KON5P 3350 | 3350 | 17.5 | 0.00 | - | - | - | - | - | - |
| KON5C 3400 | 3400 | 763 | 0.00 | - | - | - | - | - | KON5P 3400 | 3400 | 22 | 0.00 | - | - | - | - | - | - |
| KON5C 3450 | 3450 | 718.5 | 0.00 | - | - | - | - | - | KON5P 3450 | 3450 | 27.5 | 0.00 | - | - | - | - | - | - |
| KON5C 3500 | 3500 | 675.5 | 0.00 | - | - | - | - | - | KON5P 3500 | 3500 | 34 | 0.00 | - | - | - | - | - | - |
| KON5C 3550 | 3550 | 633.5 | 0.00 | - | - | - | - | - | KON5P 3550 | 3550 | 41.5 | 0.00 | - | - | - | - | - | - |
| KON5C 3600 | 3600 | 592.5 | 0.00 | - | - | - | - | - | KON5P 3600 | 3600 | 50 | 0.00 | - | - | - | - | - | - |
| KON5C 3650 | 3650 | 553 | 0.00 | - | - | - | - | - | KON5P 3650 | 3650 | 60 | 0.00 | - | - | - | - | - | 100 |
| KON5C 3700 | 3700 | 514.5 | 0.00 | - | - | - | - | - | KON5P 3700 | 3700 | 71 | 0.00 | - | - | - | - | - | - |
| KON5C 3750 | 3750 | 478 | 0.00 | - | - | - | - | - | KON5P 3750 | 3750 | 83.5 | 0.00 | - | - | - | - | - | - |
| KON5C 3800 | 3800 | 442.5 | 0.00 | - | - | - | - | - | KON5P 3800 | 3800 | 98 | 0.00 | - | - | - | - | - | - |
| KON5C 3850 | 3850 | 408.5 | 0.00 | - | - | - | 100.0 | - | KON5P 3850 | 3850 | 113.5 | 0.00 | - | - | - | - | - | - |
| KON5C 3900 | 3900 | 376.5 | 0.00 | - | - | - | - | - | KON5P 3900 | 3900 | 130.5 | 0.00 | - | - | - | | | |

| Implied volatility for ATM | | Previous day | 1D%CHG | |
|----------------------------|------|--------------|--------|------|
| MAR 25 | CALL | 27.25 | 27.22 | 0.11 |
| | PUT | 27.25 | 27.22 | 0.11 |
| | MEAN | 27.25 | 27.22 | 0.11 |
| APR 25 | CALL | 27.31 | 27.15 | 0.59 |
| | PUT | 27.31 | 27.15 | 0.59 |
| | MEAN | 27.31 | 27.15 | 0.59 |
| MAY 25 | CALL | 26.83 | 26.69 | 0.52 |
| | PUT | 26.83 | 26.68 | 0.56 |
| | MEAN | 26.83 | 26.69 | 0.54 |

| | 10Days | 20Days | 30Days | 60Days | 90Days |
|---------------------|--------|--------|--------|--------|--------|
| Current | 29.24 | 33.21 | 33.64 | 32.22 | 31 |
| 1 week ago | 33.31 | 29.55 | 28.28 | 28.9 | 30 |
| 1 month ago | 38.22 | 32.62 | 30.19 | 30.88 | 35 |
| 3 months ago | 40.80 | 34.91 | 44.15 | 39.09 | 45 |
| 6 months ago | 56.82 | 46.05 | 47.08 | 44.39 | 39 |

Source: Bloomberg

Kenanga Futures Sdn Bhd (353603-X)

Dealing Desk: (603) 2172 3820 Fax: (603) 2172 2729 Email: futures@kenanga.com.my

Disclaimer: This document has been prepared for general circulation based on information from sources believed to be reliable but we do not make any representations as to its accuracy. Kenanga Futures Sdn Bhd shall not liable for any negligence, default or lack of care and accepts no liability whatsoever for any direct or consequential loss arising from any use of this document.